



GRUPO SIERO

---

Sweet Chestnut

# CLADDING

---





Hotel do Minho. Architect: Joao Pedro Pereira (virgulai.com)

## SWEET CHESTNUT FINGER-JOINTED CLADDING

Wood is a natural, ecological, recyclable material with magnificent insulating properties. It helps to reduce energy consumption and minimizes the carbon footprint, in addition to offering multiple technical and creative possibilities.

The choice of wood species is key for a good performance and longevity of the cladding. Chestnut wood has the two most important properties to consider: natural durability and dimensional stability without the need to apply any chemical treatment. It also stands out for being a very stable wood with no tendency to deform; i.e., to changes of humidity and temperature, its dimensions vary very little.



Hotel do Minho. Architect: Joao Pedro Pereira (virgulai.com)




Inchicore National School  
Donaghy & Dimond Architects  
Photographer: Ste Murray



Visitor Reception Center of the Ibarrola Stones Museum  
Design: Mabitat  
Architect: Iban Jaen (ecoolstudio.com)



Hotel do Minho  
Architect: Joao Pedro Pereira (virgulai.com)




Hotel do Minho. Architect: Joao Pedro Pereira (virgulai.com)





Inchicore National School  
 Donaghy & Dimond Architects  
 Photographer: SteMurray

## Facade profiles



**TECHNICAL PROPERTIES OF THE PRODUCT**  
 Type of glue: MUF, type 1 in accordance with the standard UNE-EN 301  
 Formaldehyde: Class E1 in accordance with the standard UNE-EN 13986  
 Moisture content: 12 ±2%  
 Finger jointed length: From 3000 to 6000mm  
 Width: 105-115-125-135-145mm  
 Thickness: 21mm



Hotel do Minho. Architect: Joao Pedro Pereira (virgulai.com)



Los Cuetos s/n Argüelles. 33188 Siero - Asturias (España)  
Tel: +34 985 742 012 - Fax: +34 984 742 350  
siero@sierolam.com  
www.sierolam.com



FSC/PEFC certified products on request